JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 349 (1988)

AUTHOR INDEX

Aitken, C., (349) 285
Åkermark, B., (349) C22
Albrecht, I., (349) 103
Alt, H.G., (349) C7
Alvanipour, A., (349) 29
Asdar, A., (349) 353

Balch, A.L., (349) 245
Baudry, D., (349) 123
Bertani, R., (349) 263
Berton, A., (349) 263
Besenyei, I., (349) 37
Bitterwolf, T.E., (349) 315
Braun, K., (349) 293
Burschka, C., (349) 183
Buttrus, N.H., (349) 29

Campostrini, R., (349) 263
Carturan, G., (349) 263
Ceccon, A., (349) 315
Cheng, C.P., (349) 375
Chezeau, J.M., (349) C1
Chipperfield, A.K., (349) C17
Condorelli, G., (349) 235
Cooney, J.M., (349) 197
Costanzo, L.L., (349) 235

Dakternieks, D., (349) 95, 305
Damour, D., (349) 43
De Guidi, G., (349) 235
Di Giacomo, R., (349) 95, 305
Dickson, R.S., (349) 413
Dietrich, H., (349) 1
Dräger, M., (349) C1

Eaborn, C., (349) 29
Edwards, D.A., (349) 383
Endrich, K., (349) 323
Engel, D.W., (349) 393
Ephritikhine, M., (349) 123
Espinet, P., (349) 269

Filippou, A.C., (349) 367
Fischer, E.O., (349) 367
Forniés, J., (349) 269
Franken, S., (349) 293
Fukahori, T., (349) 227

Gable, R.W., (349) 95, 305
Gallagher, M., (349) 103
Gambaro, A., (349) 315
Ganis, P., (349) 57
Giacomo, R. Di, (349) 95, 305
Giuffrida, S., (349) 235
Gommans, L.H.P., (349) 197
Gömöry, A., (349) 37
Grassi, M., (349) 277
Gray, G.M., (349) 149
Guggolz, E., (349) 323
Guidi, G. De, (349) 235

Hahn, E., (349) 103
Haines, R.J., (349) 393
Harrod, J.F., (349) 285
Herberhold, M., (349) 131
Hitchcock, P.B., (349) 29
Hoskins, B.F., (349) 95, 305
Housecroft, C.E., (349) C17

Itoh, K., (349) 227

Janiak, C., (349) 117
Jones, M.A., (349) 57
Jousseaume, B., (349) C1
Jurkschat, K., (349) 143

Kagramanov, N.D., (349) 37
Kerzina, Z.A., (349) 37
Khabashesku, V.N., (349) 37
Kitching, W., (349) 57
Kök, T.R., (349) 293
Korswagen, R.P., (349) 323
Kreissl, F.R., (349) C4
Kuemmerle, D., (349) 163, 183
Kuhnlein, M., (349) 131

Lalinde, E., (349) 269
Lapinte, C., (349) 353
Lapsina, A., (349) 23
Lee, G.-H., (349) 219
Lin, J.C., (349) 375
Lindner, E., (349) 75
Liu, R.-S., (349) 219

Lucchini, V., (349) 315
Lukevics, E., (349) 23
Lush, S.-F., (349) 219

Macharashvili, A.A., (349) 23
Mahdi, W., (349) 1
Main, L., (349) 197, 209
Malek, A., (349) 285
Maltsev, A.K., (349) 37
Mansour, A.I., (349) 29
Marr, I.L., (349) 65
McLure, F.I., (349) 413
Meerssche, M. van, (349) 143
Meunier-Piret, J., (349) 143
Miginiac, L., (349) 43
Miller, N.E., (349) 11
Moodley, K.G., (349) 393
Morrison, E.C., (349) 405
Muchmore, C., (349) 103
Musco, A., (349) 277

Nefedov, O.M., (349) 37
Nesbit, R.J., (349) 413
Nicholson, B.K., (349) 197, 209
Nuber, B., (349) 131

Oram, D.E., (349) 245

Palmer, C.A., (349) 405
Pelli, B., (349) 277
Peng, S.-M., (349) 219
Penman, K.G., (349) 57
Pickardt, J., (349) 103, 117
Pornet, J., (349) 43
Pörschke, K.R., (349) 257
Puff, H., (349) 293

Rausch, M.D., (349) C7
Reznicek, D.L., (349) 11
Robinson, N.P., (349) 209
Roller, S., (349) C1
Rosales, D., (349) 65

Samuel, E., (349) 285
Saxena, A.K., (349) 29
Schenk, W.A., (349) 163, 183

Schuh, W., (349) 293
Schumann, H., (349) 103, 117
Schwietzke, T., (349) 163
Schwind, K.-H., (349) C7
Serhadle, O., (349) 323
Shade, J., (349) 315
Shklover, V.E., (349) 23
Sickinger, A., (349) 75
Simonneaux, G., (349) C11
Sodano, P., (349) C11
Storck, W., (349) 1
Struchkov, Yu.T., (349) 23
Subramony, L., (349) 393

Tagliavini, G., (349) 57
Tamás, J., (349) 37
Tetrick, S.M., (349) 383
Thewalt, U., (349) C7
Tocher, D.A., (349) 405
Traldi, P., (349) 277
Tudoret, M.-J., (349) 353
Tzschach, A., (349) 143

Usón, R., (349) 269

Valle, G., (349) 57
Van Meerssche, M., (349) 143
Venzo, A., (349) 315
Villeneuve, P., (349) C1
Vitagliano, A., (349) C22

Walton, R.A., (349) 383
Wang, S.-L., (349) 375
Wang, S.R., (349) 375
Wardell, J.L., (349) 65
Watt, W., (349) 149
Wegner, P., (349) 75
Wilke, G., (349) 257
Wolfgruber, M., (349) C4

Zelcans, G., (349) 23
Ziegler, M.L., (349) 131, 323

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 349 (1988)

SUBJECT INDEX

Aluminium

Alkali metal-μ_3-hydridotetraethenedinickel(0) complexes, formation and properties of (K.R. Pörschke, G. Wilke), (349) 257

Boron

Monocyclopentadienyl- and hydrido-uranium(IV) complexes, $(\eta\text{-}C_5H_5)U(CH_4)_3$ and $(CH_3OCH_2CH_2OCH_3)U(BH_4)_3H$, synthesis of (D. Baudry, M. Ephritikhine), (349) 123

$Ru_3(CO)_9BH_5$; preparation of, the metal-rich ruthenaborane a case of isomerisation involving *endo*-hydrogen migration (A.K. Chipperfield, C.E. Housecroft) (349) C17

1,1,4,4-Tetramethyl-1,4-diazonia-2,5-diboratacyclohexane, chemistry of (N.E. Miller, D.L. Reznicek), (349) 11

Chromium

η^6,η^6-Bis(tricarbonylchromium)fluorene and the corresponding carbanion, ^1H and ^{13}C NMR spectroscopy of (A. Ceccon, A. Gambaro, A. Venzo, V. Lucchini, T.E. Bitterwolf, J. Shade), (349) 315

$(C_5R_5)_2M_2(CO)_4$ (R = H, Me; M = Cr, Mo, W), reactivity of the M≡M bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323

Pentacarbonyl-5-phenyl-5-phospha-2,8-dithia-1-stannabicyclo[3.3.$0^{1,5}$]octanechromium(0) · pyridine, crystal structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (349) 143

Cobalt

CS_2W complexes, activated addition of alkynes to and formation of terahedral methylidynedicobalttungsten with (W.A. Schenk, D. Kuemmerle, C. Burschka), (349) 183

Dioxanylmethyldiorganylphosphanes, selectivity in hydrocarbonylation of methanol under formation of acetaldehyde and acetic acid (E. Lindner, A. Sickinger, P. Wegner), (349) 75

Germanium

Monoorganylgermanium trichlorides, chalcogenolysis of sesquioxides (H. Puff, K. Braun, S. Franken, T.R. Kök, W. Schuh), (349) 293

Phenylgermanes, oligomerisation by catalytic dehydrocoupling of (C. Aitken, J.F. Harrod, A. Malek, E. Samuel), (349) 285

Iron

Acyliron complex, CpFe(CO) (PPh_3) $(COCH_2\text{-}CHCHCOOCOCHCHRCH{=}CH)$, synthesis, characterization and molecular structure of (G.-H. Lee, S.-M. Peng, S.-F. Lush, R.-S. Liu), (349) 219

Trimethylphosphine complexes of iron(III) tetraphenylporphyrin; ^1H NMR the electronic effect in paramagnetic haems (G. Simonneaux, P. Sodano), (349) C11

Lithium

Dicyclopentadienyllutetium alkoxides, thiolates and selenolates, preparation of; crystal structures of $(C_5Me_5)_2Lu(\mu\text{-}S^tC_4H_9)_2Li(THF)_2$ and $(C_5H_5)_2Lu(\mu\text{-}SeC_6H_5)_2Li(THF)_2$ (H. Schumann, I. Albrecht, M. Gallagher, E. Hahn, C. Muchmore, J. Pickardt), (349) 103

2,6-Dimethoxyphenyllithium, crystal and molecular structure of (H. Dietrich, W. Mahdi, W. Storck), (349) 1

Lutetium

Dicyclopentadienyllutetium alkoxides, thiolates and selenolates, preparation of; crystal structures of $(C_5Me_5)_2Lu(\mu\text{-}S^tC_4H_9)_2Li(THF)_2$ and $(C_5H_5)_2Lu(\mu\text{-}SeC_6H_5)_2Li(THF)_2$. (H. Schumann, I. Albrecht, M. Gallagher, E. Hahn, C. Muchmore, J. Pickardt), (349) 103

Manganese

ortho-Manganation of *N*-acyl heteroaromatics, benzamides and substituted benzaldehydes; crystal structure of (η^2-*O*,*C*-1-acetyl-2-indoyl)tetracarbonylmanganese (N.P. Robinson, L. Main, B.K. Nicholson), (349) 209

ortho-Manganation of substituted acetophenones and heteroaromatic methyl ketones; crystal structures of cyclometallated acetylthiophene derivatives from (J.M. Cooney, L.H.P. Gommans, L. Main, B.K. Nicholson), (349) 197

Metallocenes

Dicyclopentadienylethylenetitanium, $Cp_2TiC_2H_4$; formation and reactivity of; crystal structure of $(Cp_2TiEt)_2O$ (H.G. Alt, K.-H. Schwind, M.D. Rausch, U. Thewalt), (349) C7

Phenylgermanes, oligomerisation by catalytic dehydrocoupling of (C. Aitken, J.F. Harrod, A. Malek, E. Samuel), (349) 285

Molybdenum

Bis(pentacarbonylmolybdenum) complexes, synthesis and NMR spectroscopic characterisation of; structure of $(CO)_5Mo(\mu\text{-}Ph_2POP(OCH_2CMe_2CH_2O))Mo(CO)_5$ (G.M. Gray, W. Watt), (349) 149

$(C_5R_5)_2M_2(CO)_4$ (R = H, Me; M = Cr, Mo, W), reactivity of the M≡M bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323

(Pentamethylcyclopentadienyl)molybdenum cationic complexes, improved synthesis and characterisation of (A. Asdar, M.-J. Tudoret, C. Lapinte), (349) 353

Nickel

Alkali metal-μ_3-hydridotetraethenedinickel(0) complexes, formation and properties of (K.R. Pörschke, G. Wilke), (349) 257

Osmium

t-Butyl isocyanide and homoleptic cations $[M(CNCMe_3)_6]^{n+}$ (M = Re, n = 1; M = Ru, Os, n = 2), as their hexafluorophosphate salts, vibrational spectra of (D.A. Edwards, S.M. Tetrick, R.A. Walton), (349) 383

Palladium

Bis-η^3-allylpalladium, reaction with cyano olefins of, reductive coupling of allyl groups in the presence of triphenylphosphine (R. Bertani, A. Berton, G. Carturan, R. Campostrini), (349) 263

η^3-Allylpalladium complexes; mechanism of amination of an exploratory kinetic study (A. Vitagliano, B. Åkermark) (349) C22

cis-$[Pd_4(\mu\text{-}X)_4\{\mu\text{-}C(C_6F_5)=NMe\}_4$ (X = Cl, Br, I), reactivity towards neutral bidentate ligands of (R. Usón, J. Forniés, P. Espinet, E. Lalinde), (349) 269

Phosphorus

Acyliron complex, CpFe(CO) (PPh_3) ($COCH_2CHCHCOOCOCHCHRCH{=}CH$), synthesis, characterization and molecular structure of (G.-H. Lee, S.-M. Peng, S.-F. Lush, R.-S. Liu), (349) 219

Alkali metal-μ_3-hydridotetraethenedinickel(0) complexes, formation and properties of (K.R. Pörschke, G. Wilke), (349) 257

η^3-Allyl-$PtP(C_6H_5)_3Cl$, gas-phase ion-molecule reaction with $SnCl_2$ of (M. Grassi, A. Musco, B. Pelli, P. Traldi), (349) 277

Bis-η^3-allylpalladium, reaction with cyano olefins of, reductive coupling of allyl groups in the presence of triphenylphosphine (R. Bertani, A. Berton, G. Carturan, R. Campostrini), (349) 263

Bis(pentacarbonylmolybdenum) complexes, synthesis and NMR spectroscopic characterisation of; structure of $(CO)_5Mo(\mu\text{-}Ph_2POP(OCH_2CMe_2CH_2O))Mo(CO)_5$ (G.M. Gray, W. Watt), (349) 149

CS_2W complexes, activated addition of alkynes to and formation of terahedral methylidynedicobalttungsten with (W.A. Schenk, D. Kuemmerle, C. Burschka), (349) 183

CS_2W complexes, electrophilic and nucleophilic attack on (W.A. Schenk, D. Kuemmerle, T. Schwietzke), (349) 163

Di-t-butylbenzoquinonetri carbonyltriphenylphosphinerhenium radical, dtbq$^{\cdot-}$-$Re(CO)_3PPh_3$, structure of (C.P. Cheng, S.R. Wang, J.C. Lin, S.-L. Wang), (349) 375

Dicarbonyl(η^5-cyclopentadienyl)tolylcarbynetungsten, reaction with dimethylchlorophosphine; CC coupling of (M. Wolfgruber, F.R. Kreissl), (349) C4

Dioxanylmethyldiorganylphosphanes, selectivity in hydrocarbonylation of methanol under formation of acetaldehyde and acetic acid (E. Lindner, A. Sickinger, P. Wegner), (349) 75

Di-rhodium(I) and tri-rhodium(I) complexes with bridging bis(dimethylphosphinomethyl)methylphosphine, preparation and crystal structure of (A.L. Balch, D.E. Oram), (349) 245

Pentacarbonyl-5-phenyl-5-phospha-2,8-dithia-1-stannabicyclo[3.3.0^{1,5}]octanechromium(0) · pyridine, crystal structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (349) 143

(Pentamethylcyclopentadienyl)molybdenum cationic complexes, improved synthesis and characterisation of (A. Asdar, M.-J. Tudoret, C. Lapinte), (349) 353

$Ph_2Te(S_2P(OEt)_2)_2$ and two modifications of $Ph_2Te(S_2CNEt_2)_2$, crystal structures of (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (349) 305

Trimethylphosphine complexes of iron(III) tetraphenylporphyrin; ^{1}H NMR the electronic effect in paramagnetic haems (G. Simonneaux, P. Sodano), (349) C11

Triruthenium dodecacarbonyl, reaction with bis(dimethylphosphino)methane, bis(diphenylphosphino)methane and bis(diphenylphosphino)ethylamine under photochemical conditions of (D.W. Engel, K.G. Moodley, L. Subramony, R.J. Haines), (349) 393

Platinum

η^3-Allyl-PtP$(C_6H_5)_3$Cl, gas-phase ion-molecule reaction with $SnCl_2$ of (M. Grassi, A. Musco, B. Pelli, P. Traldi), (349) 277

Rhenium

t-Butyl isocyanide and homoleptic cations $[M(CNCMe_3)_6]^{n+}$ (M = Re, $n = 1$; M = Ru, Os, $n = 2$), as their hexafluorophosphate salts, vibrational spectra of (D.A. Edwards, S.M. Tetrick, R.A. Walton), (349) 383

Di-t-butylbenzoquinonetri carbonyltriphenylphosphinerhenium radical, dtbq$^{\cdot-}$Re$(CO)_3PPh_3$, structure of (C.P. Cheng, S.R. Wang, J.C. Lin, S.-L. Wang), (349) 375

Rhodium

$(\eta$-$C_5H_5)_2Rh_2(CO)(CF_3C_2CF_3)$, addition of terminal alkynes to; formation of bridging carbonylcyclobutenyl intermediates $(\eta$-$C_5H_5)_2Rh_2(\mu$-CO$)\{\eta^1,\eta^3$-$C_4(CF_3)_2HR\}$ and their conversion to binuclear metalladiene complexes (R.S. Dickson, F.I. McLure, R.J. Nesbit), (349) 413

Di-rhodium(I) and tri-rhodium(I) complexes with bridging bis(dimethylphosphinomethyl)methylphosphine, preparation and crystal structure of (A.L. Balch, D.E. Oram), (349) 245

Ruthenium

t-Butyl isocyanide and homoleptic cations $[M(CNCMe_3)_6]^{n+}$ (M = Re, $n = 1$; M = Ru, Os, $n = 2$), as their hexafluorophosphate salts, vibrational spectra of (D.A. Edwards, S.M. Tetrick, R.A. Walton), (349) 383

Isocyanideruthenium(II) complexes, photochemistry of (L.L. Costanzo, S. Giuffrida, G. De Guidi, G. Condorelli), (349) 235

Trimethylsilylmethyl–transition metal bond, unprecedented reaction mode of (K. Itoh, T. Fukahori), (349) 227

Triruthenium dodecacarbonyl, reaction with bis(dimethylphosphino)methane, bis(diphenylphosphino)methane and bis(diphenylphosphino)ethylamine under photochemical conditions of (D.W. Engel, K.G. Moodley, L. Subramony, R.J. Haines), (349) 393

$[Ru(\eta$-$C_6H_6)Cl(O_2CCF_3)]$, reactions with α-pyridone and related ligands of; X-ray crystal structure of $[Ru(\eta$-$C_6H_6)Cl(C_6H_6$-NO)] (E.C. Morrison, C.A. Palmer, D.A. Tocher), (349) 405

$Ru_3(CO)_9BH_5$; preparation of, the metal-rich ruthenaborane a case of isomerisation involving *endo*-hydrogen migration (A.K. Chipperfield, C.E. Housecroft) (349) C17

Samarium

$[Li(dme)_3][((C_5H_5)_3Sm)_2(\mu$-$N_3)]$, synthesis and X-ray spectral analysis of (H. Schumann, C. Janiak, J. Pickardt), (349) 117

Selenium

$(C_5R_5)_2M_2(CO)_4$ (R = H, Me; M = Cr, Mo, W), reactivity of the M≡M bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323

Dicyclopentadienyllutetium alkoxides, thiolates and selenolates, preparation of; crystal structures of $(C_5Me_5)_2Lu(\mu$-S^{t}C$_4$H$_9)_2$Li(THF)$_2$ and $(C_5H_5)_2Lu(\mu$-SeC$_6$H$_5)_2$Li(THF)$_2$. (H. Schumann, I. Albrecht, M. Gallagher, E. Hahn, C. Muchmore, J. Pickardt), (349) 103

Silicon

Phenylgermanes, oligomerisation by catalytic dehydrocoupling of (C. Aitken, J.F. Harrod, A. Malek, E. Samuel), (349) 285

1-Phenyl-2,8,9-triazasilatrane, crystal and molecular structure of (A.A. Macharashvili, V.E. Shklover, Yu.T. Struchkov, A. Lapsiņa, G. Zelčans, E. Lukevics), (349) 23

$(PhMe_2Si)_3CSiMe_3\overline{N-N=(CMe)N=N}$, crystal structure and formation from $(PhMe_2Si)_3CSiMe_2I$ of (A. Alvanipour, N.H. Buttrus, C. Eaborn, P.B. Hitchcock, A.I. Mansour, A.K. Saxena), (349) 29

1,1,3,3-Tetramethyl-1,3-cyclodisiloxane in the gas phase, mass spectrometric evidence for the formation of (J. Tamás, Á. Gömöry, I. Besenyei, O.M. Nefedov, V.N. Khabashesku, Z.A. Kerzina, N.D. Kagramanov, A.K. Maltsev), (349) 37

Trimethylsilylmethyl–transition metal bond, unprecedented reaction mode of (K. Itoh, T. Fukahori), (349) 227

Vinylidene heterocyclic compounds, preparation from heterocyclic organosilicon compounds containing two heteroatoms (D. Damour, J. Pornet, L. Miginiac), (349) 43

Sulphur

$(C_5R_5)_2M_2(CO)_4$ (R = H, Me; M = Cr, Mo, W), reactivity of the M≡M bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323

CS_2W complexes, activated addition of alkynes to and formation of terahedral methylidynedicobalttungsten with (W.A. Schenk, D. Kuemmerle, C. Burschka), (349) 183

CS_2W complexes, electrophilic and nucleophilic attack on (W.A. Schenk, D. Kuemmerle, T. Schwietzke), (349) 163

Dicyclopentadienyllutetium alkoxides, thiolates and selenolates, preparation of; crystal structures of $(C_5Me_5)_2Lu(\mu\text{-}S^tC_4H_9)_2Li(THF)_2$ and $(C_5H_5)_2Lu(\mu\text{-}SeC_6H_5)_2Li(THF)_2$ (H. Schumann, I. Albrecht, M. Gallagher, E. Hahn, C. Muchmore, J. Pickardt), (349) 103

ortho-Manganation of substituted acetophenones and heteroaromatic methyl ketones; crystal structures of cyclometallated acetylthiophene derivatives from (J.M. Cooney, L.H.P. Gommans, L. Main, B.K. Nicholson), (349) 197

Pentacarbonyl-5-phenyl-5-phospha-2,8-dithia-1-stannabicyclo[3.3.$0^{1,5}$]octanechromium(0) · pyridine, crystal structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (349) 143

Pentamethylcyclopentadienyloxopentasulphidovanadium, $CpVO(S_5)$, preparation and structure of (M. Herberhold, M. Kuhnlein, M.L. Ziegler, B. Nuber), (349) 131

$Ph_2Te(S_2P(OEt)_2)_2$ and two modifications of $Ph_2Te(S_2CNEt_2)_2$, crystal structures of (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (349) 305

Tellurium

$(C_5R_5)_2M_2(CO)_4$ (R = H, Me; M = Cr, Mo, W), reactivity of the M≡M bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323

Organotellurium(IV) dihalides, NMR investigation of lability and Lewis acidity of; crystal structure of 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl) difluoride, $C_8H_8TeFe_2$ (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (349) 95

$Ph_2Te(S_2P(OEt)_2)_2$ and two modifications of $Ph_2Te(S_2CNEt_2)_2$, crystal structures of (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (349) 305

Tin

η^3-Allyl-$PtP(C_6H_5)_3Cl$, gas-phase ion-molecule reaction with $SnCl_2$ of (M. Grassi, A. Musco, B. Pelli, P. Traldi), (349) 277

Cyclopent-2-enyltriphenyltin, crystal structure of (P. Ganis, G. Valle, G. Tagliavini, W. Kitching, K.G. Penman, M.A. Jones), (349) 57

Pentacarbonyl-5-phenyl-5-phospha-2,8-dithia-1-stannabicyclo[3.3.$0^{1,5}$]octanechromium(0) · pyridine, crystal structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (349) 143

Tetraorganotin pentacoordinated compound, Sn–O coordination bond in; X-ray crystal structure of (2-carbonmethoxy-1,4-cyclohexadien-1-yl)trimethyltin (B. Jousseaume, P. Villeneuve, M. Dräger, S. Roller, J.M. Chezeau), (349) C1

Tetraorganotin unsymmetrical compounds, preparation and properties of (I.L. Marr, D. Rosales, J.L. Wardell), (349) 65

Titanium

Dicyclopentadienylethylenetitanium, $Cp_2TiC_2H_4$; formation and reactivity of; crystal structure of $(Cp_2TiEt)_2O$ (H.G. Alt, K.-H.

Schwind, M.D. Rausch, U. Thewalt), (349) C7

Phenylgermanes, oligomerisation by catalytic dehydrocoupling of (C. Aitken, J.F. Harrod, A. Malek, E. Samuel), (349) 285

Tungsten

$(C_5R_5)_2M_2(CO)_4$ (R = H, Me; M = Cr, Mo, W), reactivity of the M≡M bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323

CS_2W complexes, activated addition of alkynes to and formation of terahedral methylidynedicobalttungsten with (W.A. Schenk, D. Kuemmerle, C. Burschka), (349) 183

CS_2W complexes, electrophilic and nucleophilic attack on (W.A. Schenk, D. Kuemmerle, T. Schwietzke), (349) 163

Dicarbonyl(η^5-cyclopentadienyl)tolylcarbynetungsten, reaction with dimethylchlorophosphine CC coupling of (M. Wolfgruber, F.R. Kreissl), (349) C4

Pentamethylcyclopentadienyl-substituted diethylaminocarbyne low-valent tungsten complexes, synthesis of (A.C. Filippou, E.O. Fischer), (349) 367

Uranium

Monocyclopentadienyl- and hydrido-uranium(IV) complexes, (η-C_5H_5)$U(CH_4)_3$ and $(CH_3OCH_2CH_2OCH_3)U(BH_4)_3H$, synthesis of (D. Baudry, M. Ephritikhine), (349) 123

Vanadium

Pentamethylcyclopentadienyloxopentasulphidovanadium, $CpVO(S_5)$, preparation and structure of (M. Herberhold, M. Kuhnlein, M.L. Ziegler, B. Nuber), (349) 131

Book reviews

Flash points of organic and organometallic compounds; by R.M. Stephenson (P.A. Chaloner), (349) C15